Available online at www.sciencedirect.com
SCIENCE DIRECT®
ELSEVIER
Aquaculture 219 (2003) 923–927
Aquaculture
www.elsevier.com/locate/aqua-online

Contents of *Aquaculture*, Volume 219

VOL. 219 NOS. 1–4 **2 April 2003**

Diseases, Parasites and Predators

Depletion of praziquantel in muscle tissue and skin of cultured rockfish (*Sebastes schlegeli*) under the commercial culture conditions
C.S. Kim, J.B. Cho, K.J. Ahn, J.I. Lee and K.H. Kim (Pusan, South Korea) 1

Phenotypic diversity amongst *Vibrio* isolates from marine aquaculture systems
J. Vandenberghe, F.L. Thompson (Ghent, Belgium), B. Gomez-Gil (Mazatlán, Mexico) and J. Swings (Ghent, Belgium) 9

Changes in the gut-associated microflora during the development of Atlantic halibut (*Hippoglossus hippoglossus* L.) larvae in three British hatcheries
D.W. Verner-Jeffreys (Glasgow, UK), R.J. Shields (Argyll, UK), I.R. Bricknell (Aberdeen, UK) and T.H. Birkbeck (Glasgow, UK) 21

Control of *Vibrio alginolyticus* in *Artemia* culture by treatment with bacterial probiotics
L. Villamil, A. Figueras, M. Planas and B. Novoa (Vigo, Spain) 43

Prevention of IHHNV vertical transmission in the white shrimp *Litopenaeus vannamei*
E. Motte, E. Yugcha, J. Luzardo (Guayaquil, Ecuador), F. Castro (Manta, Ecuador), G. Leclercq, J. Rodríguez, P. Miranda, O. Borja, J. Serrano, M. Terreros, K. Montalvo, A. Narváez, N. Tenorio, V. Cedeño, E. Mialhe (Guayaquil, Ecuador) and V. Boulo (Guayaquil, Ecuador; Montpellier, France) 57

Antimicrobial resistance of intestinal *Aeromonas* spp. and *Enterococcus* spp. in fish cultured in integrated broiler-fish farms in Thailand
A. Petersen and A. Dalsgaard (Frederiksberg, Denmark) 71

Antibiotic resistance of benthic bacteria in fish-farm and control sediments of the Western Mediterranean
E. Chelossi, L. Vezzulli (Genoa, Italy), A. Milano, M. Branzoni (Pavia, Italy), M. Fabiano, G. Riccardi (Genoa, Italy) and I.M. Banat (Coleraine, UK) 83

Effect of oral administration of glucans on the resistance of gilthead seabream to pasteurellosis
N. Couso, R. Castro, B. Magariños (Santiago de Compostela, Spain), A. Obach (Stavanger, Norway) and J. Lamas (Santiago de Compostela, Spain) 99

Effects of temperature, pH, salinity and ammonia on the phagocytic activity and clearance efficiency of giant freshwater prawn *Macrobrachium rosenbergii* to *Lactococcus garvieae*
W. Cheng (Pingtung, Taiwan, ROC), S.-M. Chen (Keelung, Taiwan, ROC), F.-I. Wang, P.-I. Hsu (Pingtung, Taiwan, ROC), C.-H. Liu and J.-C. Chen (Keelung, Taiwan, ROC) 111

Influence of Timsen™ on *Vibrio* populations of culture pond water and hepatopancreas and on the hemocytic activity of tiger shrimp (*Penaeus monodon*)
H.-H. Sung, S.-C. Lin, W.-L. Chen (Taipei, Taiwan, ROC), Y.-Y. Ting (Tainan, Taiwan, ROC) and W.-L. Chao (Taipei, Taiwan, ROC) 123

Effects of commercial freshwater bathing on reinfection of Atlantic salmon, *Salmo salar*, with Amoebic Gill Disease
G. Clark, M. Powell and B. Nowak (Launceston, Australia) 135

Genetics

Genetic mapping of the kuruma prawn *Penaeus japonicus* using AFLP markers
Y. Li, K. Byrne, E. Miggiano, V. Whan, S. Moore, S. Keys, P. Crocos, N. Preston and S. Lehnert (Queensland, Australia) 143
Genetic analysis of two common carp broodstocks by RAPD and microsatellite markers
R. Bártfai (Singapore, Singapore; Gödöllő, Hungary), S. Egedi (Gödöllő, Hungary), G.H. Yue (Singapore, Singapore), B. Kovács, B. Urbányi (Gödöllő, Hungary), G. Tamás (Dinnyés, Hungary), L. Horváth (Gödöllő, Hungary) and L. Orbán (Singapore, Singapore; Gödöllő, Hungary) 157
Microsatellite diversity in rainbow trout (*Oncorhynchus mykiss*) introduced to Western Australia
R.D. Ward, K.E. Jorstad (Hobart, Australia) and G.B. Maguire (North Beach, Australia) 169
Spat collection of the pearl oyster (*Pinctada margaritifera cumingii*) in French Polynesia: an evaluation of the potential impact on genetic variability of wild and farmed populations after 20 years of commercial exploitation
S. Arnaud-Haond, V. Vonau (Tahiti, French Polynesia), F. Bonhomme (Sète, France), P. Boudry (La Tremblade, France), J. Prou, T. Seaman, M. Veyret and E. Goyard (Tahiti, French Polynesia) 181
A comparison of genetic diversity between cultured and wild populations, and a test for genetic introgression in the New Zealand greenshell mussel *Perna canaliculus* (Gmelin 1791)
S. Apte (Wellington, New Zealand), B. Star (Haren, The Netherlands) and J.P.A. Gardner (Wellington, New Zealand) 193
Optimization of triploid induction by heat shock in Chinese shrimp *Fenneropenaeus chinensis*
F. Li, J. Xiang, L. Zhou, C. Wu and X. Zhang (Qingdao, PR China) 221

Husbandry and Management

The acute toxicity of copper to blue tilapia in dilutions of settled pond water
D.L. Straus (Stuttgart, AR, USA) 233
Effect of stocking density on the dynamics of cannibalism in sibling larvae of *Perca fluviatilis* under controlled conditions
E. Baras (Liège, Belgium), P. Kestemont (Namur, Belgium) and C. Mélard (Liège, Belgium) 241
A model for sustainable management of shellfish polyculture in coastal bays
J.P. Nunes, J.G. Ferreira (Monte de Caparica, Portugal), F. Gazeau (Villefranche-sur-Mer, France), J. Lencart-Silva (Monte de Caparica, Portugal), X.L. Zhang, M.Y. Zhu and J.G. Fang (Qingdao, PR China) 257
Transport of hatchery-reared and wild grouper larvae, *Epinephelus* sp.
C.B. Estudillo and M.N. Duray (Tigbauan, Philippines) 279
Pond age–water column trophic relationships in channel catfish *Ictalurus punctatus* production ponds
P.V. Zimba, C.C. Mischke (Stoneville, MS, USA) and S.S. Brashear (New Orleans, LA, USA) 291
Diet immersion time: effects on growth, survival and feeding behaviour of juvenile southern rock lobster, *Jasus edwardsii*
A. Tolomei (Launceston, Australia), B. Crear (Hobart, Australia) and D. Johnston (Launceston, Australia) 303
Nutrients, phytoplankton and harmful algal blooms in shrimp ponds: a review with special reference to the situation in the Gulf of California
R. Alonso-Rodríguez (Mazatlán, La Paz, Mexico) and F. Páez-Osuna (Mazatlán, Mexico) 317
Dissolved oxygen fluctuations in organically and inorganically fertilized walleye (*Stizostedion vitreum*) hatchery ponds
R.J. Middleton and B.C. Reeder (Morehead, KY, USA) 337
Duration of egg storage at different temperatures in the astacid crayfish *Pacifastacus leniusculus*: critical embryonic phase
J.R. Pérez, J.D. Celada, J. González, J.M. Carral, M. Sáez-Royuela and R. Fernández (León, Spain) 347
Chemical and biological remediation of the benthos near Atlantic salmon farms
K.M. Brooks, A.R. Stierns (Port Townsend, WA, USA), C.V.W. Mahnken (Seattle, WA, USA) and D.B. Blackburn (Campbell River, Canada) 355

Effects of fertilization treatment and stocking density on the growth and production of the economic seaweed *Gracilaria parvispora* (Rhodophyta) in cage culture at Molokai, Hawaii
P.L. Nagler, E.P. Glenn, S.G. Nelson (Tucson, AZ, USA) and S. Napolean (Molokai, HI, USA) . . . 379
Nutrient and microbial dynamics in high-intensity, zero-exchange shrimp ponds in Belize
M.A. Burford, P.J. Thompson (Queensland, Australia), R.P. McIntosh, R.H. Bauman (Belize City, Belize) and D.C. Pearson (Queensland, Australia) . . . 393
Water quality and holding capacity of intensive and semi-intensive milkfish (*Chanos chanos*) ponds
N.S. Sumagaysay-Chavoso (Iloilo, Quezon City, Philippines) and Ma.L. San Diego-McGlone Quezon City, Philippines) . . . 413
The survival of stocked Atlantic salmon smolts during sea run and the timing of migration in the river Simojoki, northern Finland
E. Jokikokko (Simo, Finland) and S. Mäntyniemi (Oulu, Finland) . . . 431
Effect of age on the consecutive spawning of ablated *Penaeus semisulcatus* broodstock
G.J. Coman and P.J. Crocos (Queensland, Australia) . . . 445
Growth of juvenile blacklip abalone (*Haliotis rubra*) in aquaculture tanks: effects of density and ammonia
S.M.H. Huchette, C.S. Koh and R.W. Day (Parkville, Australia) . . . 457
Culture experiments with *Oithona oculata* Farran, 1913 (Copepoda: Cyclopoida), and its advantages as food for marine fish larvae
O.G. Hernández Molejón (Sancti, Spiritus, Cuba) and L. Alvarez-Lajonchère (Ciudad de La Habana, Cuba) . . . 471
Ammonia variations in phytotreatment ponds of land-based fish farm wastewater
S. Porrello (Rome, Italy), G. Ferrari, M. Lenzi (Orbetello, Italy) and E. Persia (Rome, Italy) . . . 485
Waste production by farmed Atlantic halibut (*Hippoglossus hippoglossus* L.)
I.M. Davies (Aberdeen, UK) and R.J. Slaski (Midlothian, UK) . . . 495
Nutritional condition, as evaluated by RNA/DNA ratios, of hatchery-reared Japanese flounder from hatch to release
W.S. Gwak (Kyoto, Japan), T. Tsusaki (Miyazu, Japan) and M. Tanaka (Kyoto, Japan) . . . 503
Reduction of aquaculture wastewater eutrophication by phytotreatment ponds system I. Dissolved and particulate nitrogen and phosphorus
S. Porrello (Rome, Italy), M. Lenzi (Orbetello, Italy), E. Persia, P. Tomassetti and M.G. Finoia Rome, Italy) . . . 515
Reduction of aquaculture wastewater eutrophication by phytotreatment ponds system II. Nitrogen and phosphorus content in macroalgae and sediment
S. Porrello, M. Lenzi, P. Tomassetti, E. Persia, M.G. Finoia and I. Mercatali (Rome, Italy) . . . 531
Identification of *Mytilus galloprovincialis* larvae from the Galician rías by mouse monoclonal antibodies
S.L. Abalde (Vigo, Vilanova de Arousa, Spain), J. Fuentes (Vilanova de Arousa, Spain) and A. González-Fernández (Vigo, Spain) . . . 545
Effects of temperature on the egg incubation period, survival and developmental period of larvae of the mud crab *Scylla serrata* (Forskål) (Brachyura: Portunidae) reared in the laboratory
K. Hamasaki (Ishigaki, Japan) . . . 561
Evaluation of *Artemia* biomass production in San Crisanto, Yucatán, México, with the use of poultry manure as organic fertilizer
T.D.N.J. Maldonado-Montiel, L.G. Rodríguez-Canché (Campeche, Mexico) and M.A. Olvera-Novoa Mérida, Mexico) . . . 573
Reducing *Artemia* use in the culture of Atlantic cod (*Gadus morhua*)
C. Callan, A. Jordaan and L.J. Kling (Orono, ME, USA) . . . 585

Nutrition

Dietary carbohydrate, iron and zinc interactions in Atlantic salmon (*Salmo salar*)
B. Vangen and G.-I. Hemre (Bergen, Norway) . . . 597
The fatty acid composition of *Octopus vulgaris* paralarvae reared with live and inert food: deviation from their natural fatty acid profile
J.C. Navarro (Ribera de Cabanes, Spain) and R. Villanueva (Barcelona, Spain) . . . 613

Ontogenetic development of the digestive tract in reared spotted sand bass *Paralabrax maculatofasciatus* larvae
R. Peña, S. Dumas, M. Villalejo-Fuerte and J.L. Ortíz-Galindo (La Paz, Mexico) 633
Diet development and evaluation for juvenile abalone, *Haliotis asinina*: animal and plant protein sources
M.N. Bautista-Teruel, A.C. Fermin (Iloilo, Philippines) and S.S. Koshio (Kagoshima, Japan) 645
Rendered meat and bone meals as ingredients of diets for shrimp *Litopenaeus vannamei* (Boone, 1931)
I.P. Forster, W. Dominy, L. Obaldo (Waimanalo, HI, USA) and A.G.J. Tacon (Kaneohe, HI, USA) . 655
Acetic acid production of *Vibrio halioticoli* from alginate: a possible role for establishment of abalone–*V. halioticoli* association
T. Sawabe, N. Setoguchi, S. Inoue, R. Tanaka, M. Ootsubo, M. Yoshimizu and Y. Ezura (Hakodate, Japan) 671
Evaluation of brewers yeast (*Saccharomyces cerevisiae*) as a feed supplement for hybrid striped bass (*Morone chrysops* × *M. saxatilis*)
P. Li and D.M. Gatlin III (College Station, TX, USA) 681
Dietary vitamin A requirement of juvenile greasy grouper (*Epinephelus tauvina*)
J. Shaik Mohamed, V. Sivaram, T.S. Christopher Roy, M. Peter Marian, S. Murugadass and M. Raffiq Hussain (Tamil Nadu, India) 693
Influence of oligosaccharides on the digestibility of lupin meals when fed to rainbow trout, *Oncorhynchus mykiss*
B.D. Glencross (North Beach, WA, Australia), T. Boujard and S.J. Kaushik (Saint-Pée sur Nivelle, France) 703
Fish performance, fillet characteristics, and health assessment index of rainbow trout (*Oncorhynchus mykiss*) fed diets containing adequate and high concentrations of lipid and vitamin E
S. Chaiyapechara (Seattle, WA, USA), M.T. Casten, R.W. Hardy (Hagerman, ID, USA) and F.M. Dong (Seattle, WA, USA) 715
Ochratoxin A fed to channel catfish (*Ictalurus punctatus*) causes reduced growth and lesions of hepatopancreatic tissue
B.B. Manning, R.M. Ulloa, M.H. Li, E.H. Robinson (Stoneville, MS, USA) and G.E. Rottinghaus (Columbia, MO, USA) 739
Growth performance and immune response of channel catfish (*Ictalurus puctatus*) fed diets containing graded levels of gossypol–acetic acid
M. Yildirim, C. Lim (Auburn, AL, USA), P.J. Wan (New Orleans, LA, USA) and P.H. Klesius (Auburn, AL, USA) 751

Physiology and Endocrinology

Hormonal sex reversal of Atlantic halibut (*Hippoglossus hippoglossus* L.)
C.I. Hendry (St. Andrews, Fredericton, Canada), D.J. Martin-Robichaud (St. Andrews, Canada) and T.J. Benfey (Fredericton, Canada) 769
Synchronous changes of morphology and gonadal development of silvering Japanese eel *Anguilla japonica*
Y.-S. Han (Taipei, Taiwan, ROC), I.-C. Liao (Keelung, Taiwan, ROC), Y.-S. Huang (Pingtung, Taiwan, ROC), J.-T. He, C.-W. Chang and W.-N. Tzeng (Taipei, Taiwan, ROC) 783
Ovarian growth and plasma sex steroid and vitellogenin profiles during vitellogenesis in Tasmanian female Atlantic salmon (*Salmo salar*)
H.R. King (Wayatinah, Launceston, Australia) and N.W. Pankhurst (Launceston, Australia) 797
A comparison between sites of growth, physiological performance and stress responses in transplanted *Tridacna gigas*
T. Elfwing, E. Blidberg (Stockholm, Sweden), M. Sison (Quezon City, Philippines) and M. Tedengren (Stockholm, Sweden) 815
Hormone profile in fast- and slow-growing strains of rainbow trout (*Oncorhynchus mykiss*) in response to nutritional state
L.M.P. Valente (Vila Real, Oporto, Portugal), P.-Y. Le Bail (Rennes, France), E.F.S. Gomes (Oporto, Portugal) and B. Fauconneau (Rennes, France) 829

Induction of ovulation in captive-reared dusky grouper, *Epinephelus marginatus* (Lowe, 1834), with a sustained-release GnRHa implant
G. Marino, E. Panini, A. Longobardi (Rome, Italy), A. Mandich (Genoa, Italy), M.G. Finoia (Rome, Italy), Y. Zohar (Baltimore, MD, USA) and C.C. Mylonas (Iraklion, Greece) 841
Variations in gross biochemical composition, energy value and condition index of *T. philippinarum* from the Lagoon of Venice
M.G. Marin, V. Moschino, M. Deppieri and L. Lucchetta (Padua, Italy) 859
Enhancement of spermiation in European sea bass (*Dicentrarchus labrax*) at the end of the reproductive season using GnRHa implants
S. Rainis (Iraklion, Greece; Pagnacco, Italy), C.C. Mylonas (Iraklion, Greece), Y. Kyriakou (Nicosia, Cyprus) and P. Divanach (Iraklion, Greece) 873
Metabolic responses to salinity acclimation in juvenile shortnose sturgeon *Acipenser brevirostrum*
P.L. Jarvis and J.S. Ballantyne (Ontario, Canada) 891

Short communication
Exposure to continuous light inhibits maturation in turbot (*Scophthalmus maximus*)
A.K. Imsland, M. Dragsnes and S.O. Stefansson (Bergen, Norway) 911

Book review
The Gulf of Guinea Large Marine Ecosystem. Environmental Forcing and Sustainable Development of Marine Resources
A. Corten (The Netherlands) 921

Contents of *Aquaculture*, Volume 219 923